## CLINICAL AND EXPERIMENTAL IMMUNOLOGY

## CONTENTS

15

22

26

35

41

| A. | BIANCO | & | A. | SPITERI: | Peripheral | anergy | and | local |  |
|----|--------|---|----|----------|------------|--------|-----|-------|--|

Vol 110 No 1 October 1997

| immune i   | ryperactivation   | in sarcoide | osis : a pai | radox or  |
|------------|-------------------|-------------|--------------|-----------|
| birds of a | feather           |             |              |           |
| J. M. L. C | CHRISTIE, C. J. H | EALEY, J. W | ATSON, V. S  | S. Wong,  |
| M. Duddi   | RIDGE, N. SOWD    | EN, W. M. C | C. ROSENBER  | RG, K. A. |
| FLEMING,   | J. CHAPEL &       | R. W. G.    | CHAPMAN:     | Clinical  |

| outcome of hypogammaglobulinaemic patients follow-         |
|--|
| ing outbreak of acute hepatitis C: 2 year follow up        |
| D. ROCCATELLO, G. MORSICA, G. PICCIOTTO, G. CESANO,        |
| R. ROPOLO, M. T. BERNARDI, G. CACACE, G. CAVALLI,          |
| L. M. SENA, A. LAZZARIN, G. PICCOLLI & A. RIFAI:           |
| Impaired hepatosplenic elimination of circulating cryo-    |
| globulins in patients with essential mixed cryoglobulinae- |

| K. S. FROE | BEL, J | . Y. Q | . Мок  | . M. C  | . Aldhous, | M.  | P. |
|------------|--------|--------|--------|---------|------------|-----|----|
| ARMITAGE,  | M.     | ARNO   | IT, L. | M.      | REYNOLDS,  | J.  | F. |
| PEUTHERER  | & S.   | M. B   | URNS:  | In vitr | o measurem | ent | of |

| C. Perrin, V. Giordanengo, S. Bannwarth, B. Blaive & |
|--|
| JC. LEFEBURE: Altered sialylation of alveolar macro- |
| phages in HIV-1-infected individuals                 |

| H. SILVE  | IRA, D.   | ORDWAY, F   | I. Dock | RELL, M. J | ACKSON & F  |
|-----------|-----------|-------------|---------|------------|-------------|
| VENTUR    | a: Cell-n | nediated in | nmune i | esponses   | to mycobac  |
| terial ar | -         |             | with pu | ulmonary   | tuberculosi |

| Y. H. HUANG,    | В. І. Сн | ANG, H. | Y. LEI, | H. S. L  | JU, C. C  |
|-----------------|----------|---------|---------|----------|-----------|
| Liu, H. L. Wu   | & T. M.  | ҮЕН: А  | ntibodi | es again | st dengue |
| virus E proteir | peptide  | bind to | human   | plasmin  | ogen and  |
| inhibit plasmir | activity |         |         |          |           |

| T. M. YAHYA, S.     | BENEDICT, A.   | SHALABI & | R. BAYOU | MI |
|---------------------|----------------|-----------|----------|----|
| Anti-neutrophil     | cytoplasmic    | antibody  | (ANCA)   | ir |
| malaria is directed | d against cath | epsin G   |          |    |

| R. M. Goods  | ELLOW, A.   | S. WILLIA | MS, J. L. L | EVIN, B. D   |
|--------------|-------------|-----------|-------------|--------------|
| WILLIAMS &   | B. P. More  | GAN: Loca | l therapy v | with soluble |
| complement   | receptor 1  | (sCR1) su | ppresses in | flammation   |
| in rat mono- | rticular ar | thritis   |             |              |

| M.  | SCH   | MITZ, | M.     | BACHMAN    | N, J. | Laübinger.    | J. | P.  | H.   |
|-----|-------|-------|--------|------------|-------|---------------|----|-----|------|
| Тни | ISSEN | & G   | . J. 1 | M. PRUIJN: | Chai  | racterization | of | mui | rine |

| J. C. HOFFMANN, C. HERKLOTZ, H. ZEIDLER, B. BAYER &     |
|---|
| J. WESTERMANN: Anti-CD2 (OX34) MoAb treatment           |
| of adjuvant arthritic rats: attenuation of established  |
| arthritis, selective depletion of CD4+ T cells, and CD2 |
| down-modulation   |

| A. BLOEMENDAL, R. VAN DER ZEE, V. P. M. G. RUTTEN        |
|--|
| P. J. S. VAN KOOTEN, J. C. FARINE & W. VAN EDEN          |
| Experimental immunization with anti-rheumatic bacter-    |
| ial extract OM-89 induces T cell responses to heat shock |
| protein (hsp)60 and hsp70; modulation of periphera       |

| immunological tolerance as its possible mode of action  |
|---|
| in the treatment of rheumatoid arthritis (RA)   |
| M. HOMMA, P. J. C. VAN BREDA VRIESMAN & J. G. M. C.   |
| Damoiseaux: Defective de novo thymocyte maturation in   |
| cyclosporin A (CsA)-induced autoimmunity: expression  |
| of costimulatory and activation molecules   |
| M. ABEDI-VALUGERDI, H. HU & G. MÖLLER: Mercury-   |
| induced renal immune complex deposits in young NZB×NZW)F <sub>1</sub> mice: characterization of antibodies/ |
| autoantibodies  |
| A. S. BANSAL, J. BRUCE, P. G. HOGAN & R. K. ALLEN: An   |
| assessment of peripheral immunity in patients with  |
| sarcoidosis using measurements of serum vitamin D3,   |
| cytokines and soluble CD23  |
| B. J. VAN DER AUWERA, C. L. VANDEWALLE, F. C. SCHUIT,   |
| F. WINNOCK, I. H. DE LEEUW, S. VAN IMSCHOOT, G.   |
| LAMBERIGTS, F. K. GORUS & THE BELGIAN DIABETES  |
| REGISTRY: CTLA-4 gene polymorphism confers suscept-   |
| ibility to insulin-dependent diabetes mellitus (IDDM)   |
| independently from age and from other genetic or  |
| immune disease markers  |
| J. RUGTVEIT, A. BAKKA & P. BRANDTZAEG: Differential   |
| distribution of B7.1 (CD80) and B7.2 (CD86) costimula-  |
| tory molecules on mucosal macrophage subsets in human   |
| inflammatory bowel disease (IBD)  |
| S. TILL, S. WALKER, R. DICKASON, D. HUSTON, F.  |
| O'BRIEN, J. LAMB, A. B. KAY, C. CORRIGAN & S.   |
| DURHAM: IL-5 production by allergen-stimulated T cells  |
| following grass pollen immunotherapy for seasonal aller-  |
| gic rhinitis  |
| Ch. Latremouille, D. Genevaz, M. C. Hu, O. Schussler, N. Goussef, C. Mandet, P. Bruneval, N. Haeffner-      |
| Cavaillon, A. Carpentier & D. Glotz: Normal human   |
| immunoglobulins for intravenous use (IVIg) delay hyper-   |
| acute xenograft rejection through F(ab') <sub>2</sub> -mediated anti-                                       |
| complement activity   |
| A. Khar, K. Muralikrishna & Ch. Varalakshmi: High   |
| intratumoural level of cytokines mediates efficient regres-   |
| sion of a rat histiocytoma  |
| R. Anderson & A. Goolam Mahomed: Calcium efflux   |
| and influx in f-met-leu-phe (fMLP)-activated human  |
| neutrophils are chronologically distinct events   |
| L. Ottonello, P. Barbera, P. Dapino, C. Sacchetti &   |
| F. DALLEGRI: Chemoattractant-induced release of   |

elastase by lipopolysaccharide (LPS)-primed neutrophils; inhibitory effect of the anti-inflammatory drug

D. OERTLI, W. R. MARTI, J. A. NORTON & K. TSUNG: Artificial antigen-presenting cells engineered by recombinant vaccinia viruses expressing antigen, MHC class II, and costimulatory molecules elicit proliferation of CD4+

139

144

nimesulide

lymphocytes in vitro

nephritis

T. MADAN, U. KISHORE, A. SHAH, P. EGGLETON, P.

STRONG, J. Y. WANG, S. S. AGGRAWAL, P. U. SARMA &

K. B. M. Reid: Lung surfactant proteins A and D can

inhibit specific IgE binding to the allergens of Aspergillus

## Val 110 No 2 November 1007

| Vol 110 No 2 November 1997   |            | fumigatus and block allergen-induced histamine release from human basophils  |
|--|------------|--|
| S. M. McHugh & T. L. Rowland: Thalidomide and derivatives: immunological investigations of tumour necrosis factor-alpha (TNF-α) inhibition suggest drugs capable of selective gene regulation P. W. Mathieson: The ins and outs of glomerular crescent formation J. D. Isaacs, N. Burrows, M. Wing, M. T. Keogan, P. R. U. B. Rebello, R. A. Watts, R. J. Pye, P. Norris,                                  | 151<br>155 | J. Brimnes, P. Halberg, S. Jacobsen, A. Wiik & N. H. H. Heegaard: Specificities of anti-neutrophil autoanti-bodies in patients with rheumatoid arthritis (RA) M. C. Harmsen, P. Heeringa, Y. M. Van Der Geld, M. G. Huitema, A. Klimp, A. Tiran & C. G. M. Kallenberg: Recombinant proteinase 3 (Wegeneris antigen) expressed in <i>Pichia pastoris</i> is functionally active and is recognized by patient sera |
| B. L. HAZELMAN, G. HALE & H. WALDMANN: Humanized anti-CD4 monoclonal antibody therapy of autoimmune and inflammatory disease J. A. RUMP, A. JAHREIS, M. SCHLESIER, S. STECHER & H. H. PETER: A double blind, placebo-controlled, cross-  | 158        | M. MIZUGAKI, T. YAMAGUCHI, S. ISHIWATA, H. SHINDO, T. HISHINUMA, S. NOZAKI & M. NOSE: Alteration of DNA methylation levels in MRL lupus mice A. K. SHORT & C. M. LOCKWOOD: Studies of epitope restriction on myeloperoxidase (MPO), an important   |
| over therapy study with natural human IL-2 (nhuIL-2) in combination with regular intravenous gammaglobulin (IVIG) infusions in 10 patients with common variable immunodeficiency (CVID)  V. THON, H. M. WOLF, M. SASGARY, J. LITZMAN, A. SAMSTAG, I. HAUBER, J. LOKAJ & M. M. EIBL: Defective integration of activating signals derived from the T cell receptor (TCR) and costimulatory molecules in both | 167        | antigen in systemic vasculitis  A. Wassenaar, A. Snijders, L. Abraham-Inpijn, M. L. Kapsenberg & F. Kievits: Antigen-presenting properties of gingival fibroblasts in chronic adult periodontitis  C. G. Kelly, V. Booth, H. Kendal, J. M. Slaney, M. A. Curtis & T. Lehner: The relationship between colonization and haemagglutination inhibiting and B cell epitopes of <i>Porphyromonas gingivalis</i>       |
| CD4 <sup>+</sup> and CD8 <sup>+</sup> T lymphocytes of common variable immunodeficiency (CVID) patients F. Galdiero, M. Galdiero, I. Nuzzo, M. Vitiello, C. Bentivoglio & C. Romano-Carratelli: Polyclonal T cell  | 174        | M. F. PRUMMEL, Y. VAN PAREREN, O. BAKER & W. M. WIERSINGA: Anti-heat shock protein (hsp)72 antibodies are present in patients with Graves' disease (GD) and in smoking control subjects  |
| elimination by prolonged immunostimulation in an experimental model M. E. Sales, I. Sterin-Borda, M. M. E. De Bracco, M. Rodriguez, M. Narbaitz & E. Borda: IgA from HIV <sup>+</sup> haemophilic patients triggers intracellular signals  | 182        | T. Kucharzik, N. Lügering, G. Winde, W. Domschke & R. Stoll: Colon carcinoma cell lines stimulate monocytes and lamina propria mononuclear cells to produce IL-10 A. Tomokuni, T. Aikoh, T. Matsuki, T. Isozaki, T. Otsuki, S. Kita, H. Ueki, M. Kusaka, T. Kishimoto &  |
| coupled to the cholinergic system of the intestine C. Lacroix, F. Chau, C. Carbon, M. Sinet & F. Derouin: Cryptococcus neoformans infection in mice previously infected with LP-BM5 MuL V, the agent of  | 189        | A. UEKI: Elevated soluble Fas/APO-1 (CD95) levels in silicosis patients without clinical symptoms of autoimmune diseases or malignant tumours B. D. REILLY & C. Mold: Quantitative analysis of C4Ab  |
| murine AIDS (MAIDS)  S. RAFATI, S. COUTY-JOUVE, M. H. ALIMOHAMMADIAN & J. A. LOUIS: Biochemical analysis and immunogenicity of Leishmania major amistigote fractions in cutaneous  | 196        | and C4Bb binding to the C3b/C4b receptor (CR1, CD35)  I. TERAI, K. KOBAYASHI, M. MATSUSHITA & T. FUJITA: Human serum mannose-binding lectin (MBL)-associated serine protease-1 (MASP-1): determination of levels in  |
| leishmaniasis P. Deloron, B. Dubois, J. Y. Le Hesran, D. Riche, N. Fievet, M. Cornet, P. Ringwald & M. Cot: Isotypic analysis of maternally transmitted <i>Plasmodium falciparum</i> -specific antibodies in Cameroon, and relation-   | 203        | body fluids and identification of two forms in serum H. J. J. VAN DER VLIET, P. C. WEVER, F. N. J. VAN DIEPEN, SL YONG & I. J. M. TEN BERGE: Quantification of Bax/Bcl-2 ratios in peripheral blood lymphocytes, monocytes and granulocytes and their relation to sus-   |
| ships with risk of <i>P. falciparum</i> infection  J. C. Goin, G. Venera, M. Biscoglio De Jiménez Bonino  & L. Sterin-Borda: Circulating antibodies against nicotinic acetylcholine receptors in chagasic patients   | 212        | ceptibility to anti-Fas (anti-Cd95)-induced apoptosis Y. Levy, K. Benlagha, A. Buzyn, M. Colombel, JC. Brouet & K. Lassoued: IL-7 sensitizes human pre-B cells but not pro-B cells to Fas/APO-1 (CD95)-mediated  |
| S. TOYABE, Y. KUWANO, K. TAKEDA, M. UCHIYAMA & T. ABO: IgA nephropathy-specific expression of the IgA Fc receptors (CD89) on blood phagocytic cells H. Y. LAN, D. J. NIKOLIC-PATERSON, W. Mu & R. C. ATKINS: Local macrophage proliferation in the   | 226        | apoptosis L. Melen, G. Hennen, R. P. F. Dullaart, E. Heinen & A. Igout: Both pituitary and placental growth hormone transcripts are expressed in human peripheral blood mononuclear cells (PBMC)   |
| pathogenesis of glomerular crescent formation in rat   |            |  |

## Vol 110 No 3 December 1997

233

PH. MOJA, A. JALIL, A. QUESNEL, M. PEROL, L. COTTE, J. M. LIVROZET, A. BOIBIEUX, A. CHAMSON, J. M. VERGNON, F. LUCHT, R. TRAN, B. POZZETTO & C. GENIN: Humoral immune response within the lung in HIV-1 infection

241

250

257

265

270

277

285

292

296

303

310

317

324

329

336

341

524

| J. G. Van Dam, J. G. M. C. Damoiseaux, H. A. M. D. Van Der Heijden, G. Grauls, P. J. C. Van Breda Vriesman & C. A. Bruggeman: Infection with rat cytomegalovirus (CMV) in the immunocompromised host is associated with the appearance of a T cell population with reduced CD8 and T cell receptor (TCR) expression T. R. Kreil, I. Burger, M. Bachmann, S. Fraiss & M. M. Eibl: Antibodies protect mice against challenge with tick-borne encephalitis virus (TBEV)-infected macrophages S. K. Sethi, A. Bianco, J. T. Allen, R. A. Knight & M. A. Spiter: Interferon-gamma (IFN-γ) down-regulates the rhinovirus-induced expression of intercellular adhesion molecule-1 (ICAM-1) on human airway epithelial cells E. Sakiniene, T. Bremell & A. Tarkowski: Inhibition of nitric oxide synthase (NOS) aggravates Staphylococcus aureus septicaemia and septic arthritis C. Meyer Zum Büschenfelde, S. Cramer, C. Trumpfheller, B. Fleischer & S. Frosch: Trypanosoma cruzi induces strong IL-12 and IL-18 gene expression in vivo: correlation with interferon-gamma (IFN-γ) production H. C. Genevier & R. E. Callard: Impaired Ca <sup>2+</sup> mobilization by X-linked agammaglobulinaemia (XLA) B cells in response to ligation of the B cell receptor (BCR) O. De La Calle-Martin, I. Badell, A. Garcia, C. Gelpi, N. Casamitjana, J. Estella & J. L. Rodriguez-Sanchez: B cells and monocytes are not developmentally affected in a case of reticular dysgenesis R. P. Gladue, M. Allen, A. Cunningham, J. Gardner, A. M. Laquerre, P. A. Connelly, A. S Shaw & J. McNeish: Phenotypic characterization and analysis of allogeneic T cell responses in ZAP-70 dominant negative transgenic mice N. S. Sheerin, T. Springall, M. C. Carroll, B. Hartley & S. H. Sacks: Protection against anti-glomerular basement membrane (GBM)-mediated nephritis in C3- and C4-deficient mice B. Ferry, P. Antrobus, I. Huzicka, A. Farrell, A. Lane & H. Chapel: Intracellular cytokine expression in whole blood preparations from normals and patients with atopic dermatitis A. Loftenius, J. Ekstrand & E. Möller: In vitro effects of | 349<br>358<br>362<br>370<br>378<br>386<br>392<br>397<br>403<br>410<br>418 | K. Yanagi, N. Haneji, N. Ishimaru, I. Saito & Y. Hayashi: Analysis of T cell receptor Vβ usage in the autoimmune sialadenitis of non-obese diabetic (NOD) mice N. E. M. Van Emmerik, C. R. Daane, C. J. Knoop, C. Hesse, L. M. B. Vaessen, A. H. M. M. Balk, B. Mochtar, F. H. J. Claas & W. Weimar: The avidity of allospecific cytotoxic T lymphocytes (CTL) determines their cytokine production profile V. Haridas & R. S. Kamat: Antigen-presenting cells (APC) of mice with chronic graft-versus-host disease (GVHD) cause excessive activation-induced death of T helper cells N. Förste, S. Gellrich, S. Golembowski, S. Rutz, H. Audring, W. Sterry & S. Jahn: Analysis of V <sub>H</sub> genes rearranged by individual B cells in dermal infiltrates of patients with mycosis fungoides B. Kaplan, R. Vidal, A. Kumar, J. Ghiso, B. Frangione & G. Gallo: Amino-terminal identity of co-existent amyloid and non-amyloid immunoglobulin κ light chain deposits. A human disease to study alterations of protein conformation F. Nicoletti, B. Beltrami, E. Raschi, R. Di Marco, G. Magro, S. Grasso, K. Bendtzen, G. Fiorelli & P. L. Meroni: Protection from concanavalin A (Con A)-induced T cell-dependent hepatic lesions and modulation of cytokine release in mice by sodium fusidate D. Baram, M. Rashkovsky, R. Hershkoviz, I. Drucker, T. Reshef, S. Ben-Shitrit & Y. A. Mekori: Inhibitory effects of low molecular weight heparin on mediator release by mast cells: preferential inhibition of cytokine molecular weight heparin on mediator release by mast cells: preferential inhibition of cytokine during stroke S. Suzuki, S. Toyabe, T. Moroda, T. Tada, A. Tsukahara, T. Iiai, M. Minagawa, S. Maruyama, K. Hatakeyama, K. Endo & T. Abo: Circadian rhythm of leucocytes and lymphocyte subsets and its possible correlation with the function of the autonomic nervous system | 434<br>440<br>447<br>454<br>464<br>472<br>479<br>485 |
|---|---|---|--|
| of mercuric chloride (HgCl <sub>2</sub> ) on human mononuclear cells S. Maule, R. Quadri, D. Mirante, R. A. Pellerito, E. Marucco, C. Marinone, D. Vergani, L. Chiandussi & M. M. Zanone: Autonomic nervous dysfunction in  | 418   | system C. Van Kooten, L. Galibert, B. K. Seon, P. Garrone, YJ. Liu & J. Banchereau: Cross-linking of antigen receptor via $Ig$ - $\beta$ (B29, CD79b) can induce both positive and negative signals in CD40-activated human   |  |
| systemic lupus erythematosus (SLE) and rheumatoid arthritis (RA): possible pathogenic role of autoantibodies to autonomic nervous structures N. MIZUSHIMA, H. KOHSAKA, T. NANKI, W. E. R. OLLIER, D. A. CARSON & N. MIYASAKA: HLA-dependent peripheral T cell receptor (TCR) repertoire formation and its   |   | B cells D. A. Hughes & A. C. Pinder: N-3 polyunsaturated fatty acids modulate the expression of functionally associated molecules on human monocytes and inhibit antigen presentation in vitro C. Ishihara, K. Ochiai, M. Kagami, H. Takahashi, G.  | 516  |
| modification by rheumatoid arthritis (RA) A. Kawakami, K. Eguchi, N. Matsuoka, M. Tsuboi, S. Urayama, Y. Kawabe, K. Tahara, N. Ishikawa, K. Ito   |   | Матѕиуама, S. Yoshida, H. Томюка & N. Коуа: Human peripheral eosinophils express functional interferon-gamma receptors (IFN- $\gamma$ R)  |  |